ELSEVIER

Brain Research 881 (2000) 249–251

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Advokat, C., see Duke, M. (881) 217
Allan, S.M., see Craighead, M.W. (881) 139
Arakawa, N., see Sakaue, M. (881) 212

Baba, A., see Sakaue, M. (881) 212
Baird, T.J., see Briscoe, R.J. (881) 204
Baldessarini, R.J., see Tarazi, F.I. (881) 69
Banks, W.A., see Plotkin, S.R. (881) 57
Baudry, M., see Pong, K. (881) 182
Bergold, P.J., see Xiang, Z.-M. (881) 77
Bielajew, C., see Bushnik, T. (881) 103
Bielajew, C., Bushnik, T., Konkle, A.T.M. and Schindler, D.
The substrate for brain-stimulation reward in the lateral preoptic area. II. Connections to the ventral tegmental area (881) 112
Boczkowski, J., see Keita, H. (881) 237
Boutin, H., see Craighead, M.W. (881) 139
Boyd, J.D., see Stewart, T.H. (881) 47
Boyd, T.E., Trepel, C. and Racine, R.J.
Cholinergic modulation of neocortical long-term potentiation in the awake, freely moving rat (881) 28
Briscoe, R.J., Cabrera, C.L., Baird, T.J., Rice, K.C. and Woods, J.H.
Antalarmin blockade of corticotropin releasing hormone-induced hypertension in rats (881) 204
Brooks, N., see Craighead, M.W. (881) 139
Bushnik, T., Bielajew, C. and Konkle, A.T.M.
The substrate for brain-stimulation reward in the lateral preoptic area. I. Anatomical mapping of its boundaries (881) 103
Bushnik, T., see Bielajew, C. (881) 112

Cabrera, C.L., see Briscoe, R.J. (881) 204
Calvin-Figuière, S., Romaiguère, P. and Roll, J.-P.
Relations between the directions of vibration-induced kinesthetic illusions and the pattern of activation of antagonist muscles (881) 128
Camacho-Arroyo, I., see Frye, C.A. (881) 98
Camargo, G.P.d.A., see Camargo, L.A.d.A. (881) 176
Camargo, L.A.d.A., Saad, W.A. and Camargo, G.P.d.A.
Effects of subtypes alpha- and beta-adrenoceptors of the lateral hypothalamus on the water and sodium intake induced by angiotensin II injected into the subfornical organ (881) 176
Chiba, S., see Ishimoto, T. (881) 152
Chun, M.-H., see Ju, W.-K. (881) 231
Chung, J.-W., see Ju, W.-K. (881) 231
Craighead, M.W., Boutin, H., Middlehurst, K.M.L., Allan, S.M., Brooks, N., Kimber, I. and Rothwell, N.J.
Influence of corticotrophin releasing factor on neuronal cell death in vitro and in vivo (881) 139
Critz, S.D., see Zimmer, W.E. (881) 18

Darbin, O., Lonjon, M., Quentien, M.H., Michiels, J.F., Grellier, P., Negrin, J., Rostain, J.C. and Risso, J.J.
In vivo study of tumor metabolism: an application of new multi-probe microdialysis system in the striatum of freely moving rats grafted with C6 cells (881) 121
Davis, T.P., see Egleton, R.D. (881) 37
Defazio, G., Livrea, P., Giorelli, M., Martino, D., Roselli, F., Ricchiuti, F. and Trojano, M.
Interferon β-1a downregulates TNFα-induced intercellular adhesion molecule 1 expression on brain microvascular endothelial cells through a tyrosine kinase-dependent pathway (881) 227
Dembo, T., see Tanaka, K. (881) 248
Desmonts, J.-M., see Keita, H. (881) 237
Dixon, S.J., see Korcok, J. (881) 144
Doctrow, S.R., see Pong, K. (881) 182
Duke, M. and Advokat, C.
Pentobarbital-induced modulation of flexor and H-reflexes in Spinal rats (881) 217

Egleton, R.D., Mitchell, S.A., Huber, J.D., Janders, J., Stropova, D., Polt, R., Yamamura, H.I., Hruby, V.J. and Davis, T.P.
Improved bioavailability to the brain of glycosylated Met-enkephalin analogs (881) 37
Elferink, L.A., see Zimmer, W.E. (881) 18
Endo, H., see Umegaki, H. (881) 241

Filippi, M.M., Oliveri, M., Vernieri, F., Pasqualetti, P. and Rossini, P.M.
Are autonomic signals influencing cortico-spinal motor excitability?. A study with transcranial magnetic stimulation (881) 159
Frye, C.A., Manjarrez, J. and Camacho-Arroyo, I.
Infusion of 3α,5α-THP to the pontine reticular formation attenuates PTZ-induced seizures (881) 98
Fujimura, T., see Sakurada, S. (881) 1
Fukuuchi, Y., see Tanaka, K. (881) 248

Giorelli, M., see Defazio, G. (881) 227
Goodman, S.R., see Zimmer, W.E. (881) 18
Grellier, P., see Darbin, O. (881) 121

Harting, J.K. and Van Lieshout, D.P.
Projections from the rostral pole of the inferior colliculus to the cat superior colliculus (881) 244
Hashimoto, H., see Sakaue, M. (881) 212
Hayashi, T., see Sakurada, S. (881) 1
Hinoi, E., Ogita, K., Takeuchi, Y., Ohashi, H., Maruyama, T. and Yoneda, Y.
Direct radiolabeling by [^{3}H]quisqualic acid of group I metabotropic glutamate receptor in rat brain synaptic membranes (881) 199
Hruby, V.J., see Egleton, R.D. (881) 37
Hsu, J.-C., see Lan, C.-T. (881) 222
Huber, J.D., see Egleton, R.D. (881) 37

Iguchi, A., see Umegaki, H. (881) 241
Ikari, H., see Umegaki, H. (881) 241
Irazuzta, J.E., Pretzlaff, R., Rowin, M., Milam, K., Zemlan, F.P. and Zingarelli, B.
Hypothermia as an adjunctive treatment for severe bacterial meningitis (881) 88
Ishimoto, T., Omori, N., Mutoh, F. and Chiba, S.
Convulsive seizures induced by *N*-methyl-D-aspartate microinjection into the mesencephalic reticular formation in rats (881) 152

Janders, J., see Egleton, R.D. (881) 37
Jen, P.H.-S., see Zhou, X. (881) 62
Ju, W.-K., Kim, K.-Y., Park, S.-J., Park, D.-K., Park, C.-B., Oh, S.-J., Chung, J.-W. and Chun, M.-H.
Nitric oxide is involved in sustained and delayed cell death of rat retina

0006-8993/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(00)02937-1

following transient ischemia (881) 231

Kaneko, I., see Sakaue, M. (881) 212
Kastin, A.J., see Plotkin, S.R. (881) 57
Kastin, A.J., see Sakurada, S. (881) 1
Kawasaki, Y., see Sakaue, M. (881) 212
Keita, H., Boczkowski, J., Samb, A., Lanone, S., Lang-Lazdunski, L., Rouellé, D., Desmonts, J.-M. and Mantz, J.
Anesthetic concentrations of riluzole inhibit neuronal nitric oxide synthase activity, but not expression, in the rat hippocampus (881) 237
Kim, K.-Y., see Ju, W.-K. (881) 231
Kim, Y.S., Shin, Y.K., Lee, C.-S. and Song, J.-H.
Block of sodium currents in rat dorsal root ganglion neurons by diphenhydramine (881) 190
Kimber, I., see Craighead, M.W. (881) 139
Konkle, A.T.M., see Bielajew, C. (881) 112
Konkle, A.T.M., see Bushnik, T. (881) 103
Korcok, J., Yan, R., Siushansian, R., Dixon, S.J. and Wilson, J.X.
Sodium-ascorbate cotransport controls intracellular ascorbate concentration in primary astrocyte cultures expressing the SVCT2 transporter (881) 144
Kosaki, A., see Tanaka, K. (881) 248
Koyama, Y., see Sakaue, M. (881) 212

Lan, C.-T., Liu, J.C., Hsu, J.-C. and Ling, E.-A.
Different astroglial reaction between the vagal dorsal motor nucleus and nucleus ambiguus following vagal–hypoglossal nerve anastomosis in cats (881) 222
Lang-Lazdunski, L., see Keita, H. (881) 237
Langone, F., see Santos Jr., A.R. (881) 73
Lanone, S., see Keita, H. (881) 237
Lee, C.-S., see Kim, Y.S. (881) 190
Ling, E.-A., see Lan, C.-T. (881) 222
Liu, J.C., see Lan, C.-T. (881) 222
Livrea, P., see Defazio, G. (881) 227
Lonjon, M., see Darbin, O. (881) 121

Maness, L.M., see Plotkin, S.R. (881) 57
Manjarrez, J., see Frye, C.A. (881) 98
Mantz, J., see Keita, H. (881) 237
Martino, D., see Defazio, G. (881) 227
Maruyama, T., see Hinoi, E. (881) 199
Mastrosov, L., see Peredery, O. (881) 9
Matsubara, J.A., see Stewart, T.H. (881) 47
Matsuda, T., see Sakaue, M. (881) 212
Michiels, J.F., see Darbin, O. (881) 121
Middlehurst, K.M.L., see Craighead, M.W. (881) 139
Milam, K., see Irazuzta, J.E. (881) 88
Mitchell, S.A., see Egleton, R.D. (881) 37
Murayama, K., see Sakurada, S. (881) 1
Mutoh, F., see Ishimoto, T. (881) 152

Nagata, E., see Tanaka, K. (881) 248
Nakahata, H., see Umegaki, H. (881) 241
Nakamura, A., see Umegaki, H. (881) 241
Nakamura, H., see Sakaue, M. (881) 212
Negrin, J., see Darbin, O. (881) 121
Nogawa, S., see Tanaka, K. (881) 248

Ogawa, O., see Umegaki, H. (881) 241
Ogita, K., see Hinoi, E. (881) 199
Oh, S.-J., see Ju, W.-K. (881) 231
Ohashi, H., see Hinoi, E. (881) 199
Oliveira, A.L.R., see Santos Jr., A.R. (881) 73
Oliveri, M., see Filippi, M.M. (881) 159
Omori, N., see Ishimoto, T. (881) 152
Otaka, A., see Sogawa, Y. (881) 165

Park, C.-B., see Ju, W.-K. (881) 231
Park, D.-K., see Ju, W.-K. (881) 231
Park, S.-J., see Ju, W.-K. (881) 231
Parker, G., see Peredery, O. (881) 9
Pasqualetti, P., see Filippi, M.M. (881) 159
Peredery, O., Persinger, M.A., Parker, G. and Mastrosov, L.
Temporal changes in neuronal dropout following inductions of lithium/pilocarpine seizures in the rat (881) 9
Persinger, M.A., see Peredery, O. (881) 9
Plotkin, S.R., Banks, W.A., Maness, L.M. and Kastin, A.J.
Differential transport of rat and human interleukin-1α across the blood–brain barrier and blood–testis barrier in rats (881) 57
Polt, R., see Egleton, R.D. (881) 37
Pong, K., Doctrow, S.R. and Baudry, M.
Prevention of 1-methyl-4-phenylpyridinium- and 6-hydroxydopamine-induced nitration of tyrosine hydroxylase and neurotoxicity by EUK-134, a superoxide dismutase and catalase mimetic, in cultured dopaminergic neurons (881) 182
Pretzlaff, R., see Irazuzta, J.E. (881) 88

Quentien, M.H., see Darbin, O. (881) 121

Racine, R.J., see Boyd, T.E. (881) 28
Ricchiuti, F., see Defazio, G. (881) 227
Rice, K.C., see Briscoe, R.J. (881) 204
Risso, J.J., see Darbin, O. (881) 121
Roll, J.-P., see Calvin-Figuière, S. (881) 128
Romaiguère, P., see Calvin-Figuière, S. (881) 128
Roselli, F., see Defazio, G. (881) 227
Rossini, P.M., see Filippi, M.M. (881) 159
Rostain, J.C., see Darbin, O. (881) 121
Rothwell, N.J., see Craighead, M.W. (881) 139
Rouellé, D., see Keita, H. (881) 237
Rowin, M., see Irazuzta, J.E. (881) 88

Saad, W.A., see Camargo, L.A.d.A. (881) 176
Sakaue, M., Nakamura, H., Kaneko, I., Kawasaki, Y., Arakawa, N., Hashimoto, H., Koyama, Y., Baba, A. and Matsuda, T.
Na^+–Ca^{2+} exchanger isoforms in rat neuronal preparations: different changes in their expression during postnatal development (881) 212
Sakurada, C., see Sakurada, S. (881) 1
Sakurada, S., Hayashi, T., Yuhki, M., Fujimura, T., Murayama, K., Yonezawa, A., Sakurada, C., Takeshita, M., Zadina, J.E., Kastin, A.J. and Sakurada, T.
Differential antagonism of endomorphin-1 and endomorphin-2 spinal antinociception by naloxonazine and 3-methoxynaltrexone (881) 1
Sakurada, T., see Sakurada, S. (881) 1
Samb, A., see Keita, H. (881) 237
Sangerman, J., see Zimmer, W.E. (881) 18
Santos Jr., A.R., Wada, M.L.F., Langone, F. and Oliveira, A.L.R.
Differential Schwann cell migration in adult and old mice: an in vitro study (881) 73
Schindler, D., see Bielajew, C. (881) 112
Shin, Y.K., see Kim, Y.S. (881) 190
Sikorski, A.F., see Zimmer, W.E. (881) 18
Siushansian, R., see Korcok, J. (881) 144
Sogawa, Y., Yoshimura, Y., Otaka, A. and Yamauchi, T.
Ca^{2+}-independent activity of Ca^{2+}/calmodulin-dependent protein kinase II involved in stimulation of neurite outgrowth in neuroblastoma cells (881) 165
Song, J.-H., see Kim, Y.S. (881) 190
Stewart, T.H., Boyd, J.D. and Matsubara, J.A.
Organization of efferent neurons in area 19: the projection to extrastriate area 21a (881) 47
Stropova, D., see Egleton, R.D. (881) 37
Suzuki, S., see Tanaka, K. (881) 248
Suzuki, Y., see Umegaki, H. (881) 241

Takeshita, M., see Sakurada, S. (881) 1
Takeuchi, Y., see Hinoi, E. (881) 199
Tanaka, K., Nogawa, S., Nagata, E., Suzuki, S., Dembo, T., Kosaki, A. and Fukuuchi, Y.
Erratum to: Effects of blockade of voltage-sensitive Ca^{2+}/Na^+ channels by a novel phenylpyrimidine derivative, NS-7, on CREB phosphorylation in focal cerebral ischemia in the rat (881) 248
Tarazi, F.I., Zhang, K. and Baldessarini, R.J.
Effects of nigrostriatal dopamine denervation on ionotropic glutamate receptors in rat caudate-putamen (881) 69
Trepel, C., see Boyd, T.E. (881) 28
Trojano, M., see Defazio, G. (881) 227
Tsai, J.-J., see Wu, F.-S. (881) 208

Umegaki, H., Ikari, H., Nakahata, H., Endo, H., Suzuki, Y., Ogawa, O., Nakamura, A., Yamamoto, T. and Iguchi, A.
Plasma cortisol levels in elderly female subjects with Alzheimer's disease: a cross-sectional and longitudinal study (881) 241

Van Lieshout, D.P., see Harting, J.K. (881) 244
Vernieri, F., see Filippi, M.M. (881) 159

Wada, M.L.F., see Santos Jr., A.R. (881) 73
Wilson, J.X., see Korcok, J. (881) 144
Woods, J.H., see Briscoe, R.J. (881) 204
Wu, F.-S., Yang, Y.-C. and Tsai, J.-J.
Noncompetitive inhibition of the glycine receptor-mediated current by melatonin in cultured neurons (881) 208

Xiang, Z.-M. and Bergold, P.J.
Synaptic depression and neuronal loss in transiently acidic hippocampal slice cultures (881) 77
Xu, X.S., see Zimmer, W.E. (881) 18

Yamamoto, T., see Umegaki, H. (881) 241
Yamamura, H.I., see Egleton, R.D. (881) 37
Yamauchi, T., see Sogawa, Y. (881) 165
Yan, R., see Korcok, J. (881) 144
Yang, Y.-C., see Wu, F.-S. (881) 208
Yoneda, Y., see Hinoi, E. (881) 199
Yonezawa, A., see Sakurada, S. (881) 1
Yoshimura, Y., see Sogawa, Y. (881) 165
Yuhki, M., see Sakurada, S. (881) 1

Zadina, J.E., see Sakurada, S. (881) 1
Zemlan, F.P., see Irazuzta, J.E. (881) 88
Zhang, K., see Tarazi, F.I. (881) 69
Zhao, Y., see Zimmer, W.E. (881) 18
Zhou, X. and Jen, P.H.-S.
Corticofugal inhibition compresses all types of rate-intensity functions of inferior collicular neurons in the big brown bat (881) 62
Zimmer, W.E., Zhao, Y., Sikorski, A.F., Critz, S.D., Sangerman, J., Elferink, L.A., Xu, X.S. and Goodman, S.R.
The domain of brain β-spectrin responsible for synaptic vesicle association is essential for synaptic transmission (881) 18
Zingarelli, B., see Irazuzta, J.E. (881) 88